

DIGITAL SIGNAGE SOLUTIONS



OUTDOOR LCD IP66 MONITOR series

40", 42", 46"

OUTDOOR



HIGHLIGHTS

Impressive picture quality: Full HD
Ideally suited for various indoor and outdoor installations as well as 24/7 applications
Extensive input & output terminals
Network integration (optional) for maintaining and controlling the monitor on the LAN

WATERPROOF

Robust Stainless Steel extra strong, sealed cabinet
Input board protection
Reinforced ventilation
Anti front-condensating system
Built in Rack PC configuration
Antireflective crystal
PC service portal
Easy Service & Maintenance, without any cabinet, removal
Optional Transreflective electronics and panel, in case of direct sunrays
Optional Built in Heaters



OUTDOOR LCD 40" Full HD DID
OUTDOOR LCD 42" HD TRANSFLECTIVE
OUTDOOR LCD 46" HI-BRIGHT 1.500 CD/M

WATERPROOF OUTDOOR MONITOR

HANTAREX Outdoor range of monitors are picture-perfect even at critic temperatures of up to -20°C or in adverse weather conditions, such as rain, high degree of humidity and high presence of dust.

Advanced technology such as sunlight-readable functions, like the availability of several LCD panels types, provided of different brightness of transfective functionalities, ensure that even direct exposure to sunlight does not reduce the picture quality.

The Outdoor range is fully protected against adverse weather and location conditions and corresponds to protection class IP55 (upgradable till IP65). This ensures that these units can withstand all types of weather.

Even at temperatures as low as -20°C , the LCD screens provide a razor-sharp HD_Full HD quality picture at all times, making them perfectly suited for all seasons.

Protection against vandalism and theft is of particular importance when it comes to installations in public places.

The Outdoor monitor are equipped with special protective front crystal, which is much stronger than normal glass used in the production of standard monitor surfaces. In addition, this glass is non-reflective and the information displayed can be read even from acute angles.

The monitor housing made from aluminium is rust, stain and the coated painting is scratch-resistant, making it exceptionally robust.

HEATERS

The optional heaters work automatically in the following way: when the monitor is switched up in a freezing morning, the built-in electronic device does not switch the monitor ON immediately, but just the heaters.

Built in sensors constantly analyze the internal temperature and, as soon as a perfect working temperature has been reached, automatically switch the heater OFF, and the monitor ON.

In 24/7 working conditions the heaters are not required, since constant electronics' running maintains temperature above 0° .


OUTDOOR LCD 40" Full HD DID
OUTDOOR LCD 42" HD TRANSFLECTIVE
OUTDOOR LCD 46" HI-BRIGHT 1.500 CD/M



VANDALIC proof and TAMPER proof

Double laminated front 6+4 mm protective glass
Reinforced front frame
Reinforced back cover
Sliding Rack PC, which allows: to extract/service the Rack PC itself without any cabinet removal from the installation
Special availability of panel changing or updating, without any cabinet substitution
Special availability of front protective crystal changing





www.hantarex.eu

SAMBERS

I T A L I A

Headquarter:

via Friuli 10/D
20046

Biassono (Mi)

tel. +39.039.2224.1

fax +39.039.2224.200

www.hantarex.it

info@hantarex.it



UNI EN ISO 9001:2000